





05123100 - LT-S BMT75 ER40F H70 DW

Type	LT-S Tool holder straight
Mounting	BMT 75
Tool output	Collet nut ER 40 F - internal nut
Coolant	External coolant
Direction of rotation	r1  r2 
Max speed [rpm]	4000
Max torque [Nm]	100
Ratio	1:1
H [mm]	70
Accessories	
Notes	N.A.
Mounting tips	Not suitable for every application, please check



Always check live tool dimensions on the turret

USCITA LIQUIDO
REFRIGERANTE
COOLANT WAY-OUT




DATE/REVISION
20/11/2015 **05123100-R011**

Subject to technical changes





05123200 - LT-S BMT75 ER40F RF H70 DW

Type	LT-S Tool holder straight
Mounting	BMT 75
Tool output	Collet nut ER 40 F - internal nut
Coolant	Internal coolant
Direction of rotation	r1  r2 
Max speed [rpm]	4000
Max torque [Nm]	100
Ratio	1:1
H [mm]	70
Accessories	
Notes	N.A.
Mounting tips	Not suitable for every application, please check



Always check live tool dimensions on the turret


USCITA LIQUIDO
REFRIGERANTE
COOLANT WAY-OUT




DATE/DATE
20/11/2015 **05123200-R011**


Subject to technical changes

05123300 - LT-A BMT75 ER40-F H60 DW

Type	LT-A Tool holder angle 90°
Mounting	BMT 75
Tool output	Collet nut ER 40 F - internal nut
Coolant	External coolant
Direction of rotation	
Max speed [rpm]	4000
Max torque [Nm]	80
Ratio	1:1
H [mm]	60
H1 [mm]	43
Accessories	N.A.
Notes	N.A.
Mounting tips	Not suitable for every application, please check




Always check live tool dimensions on the turret




Subject to technical changes

05123400 - LT-A BMT75 ER40-F RF H60 DW

Type	LT-A Tool holder angle 90°
Mounting	BMT 75
Tool output	Collet nut ER 40 F - internal nut
Coolant	Internal coolant
Direction of rotation	r1  r2 
Max speed [rpm]	4000
Max torque [Nm]	80
Ratio	1:1
H [mm]	60
H1 [mm]	43
Accessories	N.A.
Notes	N.A.
Mounting tips	Not suitable for every application, please check




Always check live tool dimensions on the turret




Subject to technical changes


DATE DATA
23/11/2015 05123400-R011

05123500 - LT-A BMT75 DIN138-27 H60 DW

Type	LT-A Tool holder angle 90°
Mounting	BMT 75
Tool output	Shell-Mill DIN138 27
Coolant	External coolant
Direction of rotation	
Max speed [rpm]	4000
Max torque [Nm]	80
Ratio	1:1
H [mm]	60
H1 [mm]	43
Accessories	N.A.
Notes	N.A.
Mounting tips	Not suitable for every application, please check



Always check live tool dimensions on the turret




Subject to technical changes

DATE/DATE
23/11/2015 05123500-R011





05123600 - LT-S BMT75 DIN138-27 H75 DW

Type	LT-S Tool holder straight
Mounting	BMT 75
Tool output	Shell-Mill DIN138 27
Coolant	External coolant
Direction of rotation	r1  r2 
Max speed [rpm]	4000
Max torque [Nm]	100
Ratio	1:1
H [mm]	75,5
Accessories	
Notes	N.A.
Mounting tips	Not suitable for every application, please check



Always check live tool dimensions on the turret

USCITA LIQUIDO
REFRIGERANTE
COOLANT WAY-OUT




DATE/DATE
08/07/2015 **05123600-R011**


Subject to technical changes

05123700 - LT-S BMT75 ISOBT40 OFS110RFH80

Type	LT-S OFS Tool holder straight offset
Mounting	BMT 75
Tool output	Quick Change ISO-BT40
Coolant	Internal coolant
Offset [mm]	110
Direction of rotation	r1  r2 
Max speed [rpm]	4000
Max torque [Nm]	180
Ratio	1:1
H [mm]	80
Accessories	N.A.
Notes	N.A.
Mounting tips	Not suitable for every application, please check



Always check live tool dimensions on the turret




Subject to technical changes


DATE DATA
23/11/2015 **05123700-R011**

05123800 - LT-S BMT75 ISOBT40 OFS110H80DW

Type	LT-S OFS Tool holder straight offset
Mounting	BMT 75
Tool output	Quick Change ISO-BT40
Coolant	External coolant
Offset [mm]	110
Direction of rotation	r1  r2 
Max speed [rpm]	4000
Max torque [Nm]	180
Ratio	1:1
H [mm]	80
Accessories	N.A.
Notes	N.A.
Mounting tips	Not suitable for every application, please check




Always check live tool dimensions on the turret




Subject to technical changes

05123900 - LT-A BMT75 ISO-BT40 L-R H90 DW

Type	LT-A Tool holder angle 90°
Mounting	BMT 75
Tool output	Quick Change ISO-BT40
Coolant	External coolant
Direction of rotation	r1  r2 
Max speed [rpm]	4000
Max torque [Nm]	180
Ratio	1:1
H [mm]	90
H1 [mm]	52
Accessories	N.A.
Notes	N.A.
Mounting tips	Not suitable for every application, please check





Always check live tool dimensions on the turret




Subject to technical changes

05124500 - LT-T BMT75 ER20F H71-151

Type	LT-T Tool holder tiltable
Mounting	BMT 75
Tool output	Collet nut ER 20 F - internal nut
Coolant	External coolant
Direction of rotation	
Max speed [rpm]	6000
Max torque [Nm]	20
Ratio	1:1
H [mm]	71-151
Accessories	N.A.
Notes	N.A.
Mounting tips	Not suitable for every application, please check



Always check live tool dimensions on the turret



Subject to technical changes